

# *Dublin Core: History, Key Concepts, and Evolving Context (part one)*

DC-2010 INTERNATIONAL CONFERENCE ON  
DUBLIN CORE AND METADATA APPLICATIONS  
Pittsburgh, PA, October 20, 2010

Jane Greenberg, Professor, Director of the  
SILS Metadata Research Center  
[janeg@email.unc.edu](mailto:janeg@email.unc.edu)



Dublin Core  
Metadata Initiative®

# Overview

- Introduction; Metadata defined
- Dublin Core (history & growth)
  - Dublin Core Metadata Element Set, Version 1.1
    - History workshop → *full* conference
    - Founding principles (characteristics)
- DC semantics and DCMI Metadata Terms
  - Dublin Core abstract model
  - Singapore Framework
    - \* **An evolving context / Semantic Web alignment**
- Dublin Core Metadata Initiative (DCMI)
- Q&A



# Introduction

- Who is here?
  - ✓ librarians/archivist/museum professionals
  - ✓ scientists
  - ✓ government specialists
  - ✓ educators
  - ✓ business/corporate workers
  - other?
- Dublin Core
  - Using DC; planning to use DC; want to learn more

# Metadata defined

.....data about data

.....information about data



# Library catalog card

English literature--Early modern, 1500-1700--  
History and criticism.

PQ  
6277 **O'Connor, John Joseph**, 1918 (June 15)-  
02 Amadis de Gaule and its influence on Elizabethan literature, by John J. O'Connor. New Brunswick, N. J., Rutgers University Press [1970]  
ix, 308 p. facsims. 25 cm. 9.00  
Bibliography : p. 287-293.

1. Amadis de Gaula. 2. English literature—Early modern (to 1700)—History and criticism.

PQ6277.O2 863'.2 76-96031  
SBN 8135-0622-0 MARC

Library of Congress 70 [4]



Dublin Core  
Metadata Initiative®

Family: Pinaceae

Species: *Pinus serotina*

Date identified: 1958-05-10

County: Pasquotank County

Location collected: Woodland  
Border, 2.3 miles north east of  
Nisonton


Collected by: Harry E. Ahles

<Species> *Pinus serotina* </  
Species>

<Date.ID><scheme=SPEC.W3C  
DTF">1958-05-10

</Date.ID>

## Metadata Example for a specimen



# MS WORD dialog box and

General Summary Statistics Contents Custom

Title: **Functionalities for Automatic-Metadata Generation**

Subject: automatic metadata generation

Author: Jane Greenberg, Kristina Spurgin, Abe Crystal

Manager: Jane Greenberg

Company: UNC-CH

Category: AMeGA project

Keywords: metadata, generation, automatic, semi-automatic

Comments: This is a draft circulated for editing

Hyperlink base:

Template: Normal.dot

Save preview picture

OK Cancel

```
xmlns:st1="urn:schemas-microsoft-com:office:smarttags" |<o:DocumentProperties>  
<o:Subject>automatic metadata generation</o:Subject>  
<o:Author>Jane Greenberg, Kristina Spurgin, Abe Crystal</o:Author>  
<o:Keywords>metadata, generation, automatic, semi-automatic</o:Keywords>  
<o:Description>This is a draft circulated for editing</o:Description>  
<o:LastAuthor>Kristina M Spurgin</o:LastAuthor>  
<o:Revision>2</o:Revision>  
<o:TotalTime>13</o:TotalTime>  
<o:LastPrinted>2004-11-06T18:41:00Z</o:LastPrinted>  
<o:Created>2004-11-12T16:50:00Z</o:Created>  
<o:LastSaved>2004-11-12T16:50:00Z</o:LastSaved>  
<o:Pages>1</o:Pages>  
<o:Words>9160</o:Words>  
<o:Characters>54690</o:Characters>  
<o:Category>AMeGA project</o:Category>  
<o:Manager>Jane Greenberg</o:Manager>  
<o:Company>UNC-CH</o:Company>
```



# Dublin Core metadata

<dc:title>Godiva Chocolatier</dc:title>

**<dcterms:alternative>Godiva store</dcterms:alternative>**

<dc:creator>Nancy Confection</dc:creator>

**<dc:creator>Confection, Nancy</dc:creator>**

<dc:subject>Chocolate</dc:subject>

<dc:subject **xsi:type="dcterms:lcsh"**>Truffles  
(Confectionery)</dc:subject>

**<dcterms:created xsi:type="dcterms:W3CDTF">**

2008--6--28</dcterms:created>

<dc:identifier>http://www.godiva.com</dc:identifier>

**<dcterms:abstract>**Provides access to chocolate  
collections, gifts, ....**</dcterms:abstract>**



Dublin Core  
Metadata Initiative®

# Metadata

- Structured, descriptive information about a **resource** (DCMI Glossary; Weibel, 1995)
- Data about the content, quality, condition, and other characteristics of data (FGDC Glossary, 1992)
- Additional information for the data it describes to support “use” (Wikipedia, 2008)
- Structured data about an object that supports functions associated with the designated object (Greenberg, 2003)



# Some typical metadata functions

Discover  
resources

Manage  
documents

Control IP  
rights

Identify  
versions

Certify  
authenticity

Indicate  
status

Mark content  
structure

Situate  
geospatially

Describe  
processes



Dublin Core  
Metadata Initiative®

Typology of 7 types of metadata	Metadata Functions "This Type Of Metadata Facilitates:"	Element examples*
Identification / description metadata	Resource Discovery / Information Retrieval	<b>Creator</b> (Author), Title, Subject
Administrative metadata	Resource Management	Price, Condition
Terms and conditions metadata	Resource Usage	Rights, Reproduction restrictions
Content ratings metadata	Resource Use By Appropriate Audiences	Audience
Provenance metadata	Resource Authentication And Other Provenance-Related Activities	<b>Creator</b> , <b>Source</b>
Linkage / relationship metadata	Resource Linking With Related Resources	Relation, <b>Source</b>
Structural metadata	Resource Hardware And Software Needs	Compression ratio

(Lagoze, 1996; mapped in Greenberg, 2005)

# Dublin Core history and growth

## Internet / WWW

- 1970 ARPANET begin operation
- 1991 Gopher released by Univ. of Minnesota
- 1991 WWW released by CERN
- 1993, Lycos (first engine to achieve commercial success)
- 1994, WebCrawler first full-text Web search engine
- Late 1990s Web directories become popular
- 1998 Google, relevancy ranking
- 2009++—Linked data

## ~~~ Cataloging/Metadata

- ~ c.1450 printing press
- 18th c. French cataloging code
- 1876 Cutter's catalog objects
- 1960/61 Lubetsky/Paris principles
- 1988 Anglo-American Cataloging Rules, 2nd ed. rev.
- 1994, 2<sup>nd</sup> WWW Conference in Chicago
  - need for a metadata "core": a small, common set of metadata elements to describe Web content
- 1995, NCSA/OCLC workshop in Dublin, Ohio
- 1998 FRBR
- 2009 RDA



Dublin Core  
Metadata Initiative®

# Dublin Core (DC) history

DC 1: March, 1995, Dublin, Ohio (OCLC/NCSA workshop)

Identified 13 core elements (properties) essential for resource discovery on the Internet

- Title
- Author
- Subject
- Publisher
- Other Agent
- Date
- Object Type
- Form
- Identifier
- Relation
- Source
- Coverage
- Rights Management

1994, informal discussion at the 2<sup>nd</sup> WWW conf., Chicago

# Dublin Core (DC) history

## DC 2: April, 1996, Warwick, England

- Established the Warwick Framework
- Establish a syntax for the DC...HTML tags for embedding in web documents (HTML 2.0)

## DC 3: September, 1996, Dublin, Ohio

- DC elements extended to include digital images, 15 properties

## DC 4: March 1997, Canberra, Australia

- *Minimalists and structuralists*
- Canberra qualifiers (meta-meta)
  - Refinement rather than redefinition
    - Coverage: spatial and temporal
  - Schemes
    - ISO 8601 for date encoding (syntax encoding)
    - LCSH or AAT for subject metadata (vocabulary encoding)



DC-5: 1997, Helsinki, Finland  
DC-6: 1998, Washington, D.C.  
DC-7: 1999, Frankfurt, Germany  
DC-8: 2000, Ottawa Canada  
2001, Tokyo, Japan (Conference w/proceedings)  
2002, Florence, Italy (Application profiles)  
2003, Seattle, WA  
2004, Shanghai, China  
2005, Madrid, Spain  
2006, Mexico  
2007, Singapore (Singapore Framework)  
2008, Berlin, Germany  
2009, Seoul, Korea  
2010, Pittsburgh, PA



Dublin Core  
Metadata Initiative®

# Dublin Core:

## the original idea and guiding principles

- Simple
- Semantic interoperability
  - Title = title = title
- International consensus
- Interdisciplinary (any domain)
- For any format
- Extensible
- Modular

Making it easier to find information on the Web as it develops




Dublin Core  
Metadata Initiative®


# Extensibility

(Zeng, M., 2004, JG rev., 2006)

Allows for extensions to metadata schema so as to accommodate the particular needs of any given application



# Modularity (Weibel's notion of Legos)



# Dublin Core Metadata Element Set (DCMES)

(version 1.1)

1. Title
2. Creator
3. Subject
4. Description
5. Publisher
6. Contributor
7. Date
8. Type
9. Format
10. Identifier
11. Source
12. Language
13. Relation
14. Coverage
15. Rights Management

- Dublin Core Element Set: <http://dublincore.org/documents/dces/>
- DCMI Metadata Terms: <http://dublincore.org/documents/dcmi-terms>

Finalized 1998 RFC 2413; CEN CWA 13874 (2000); ANSI/NISO Z39.85 (2001, rev. 2008); ISO 15386 (2003, rev. 2009); Internet RFC 5013 (2007)

# Legacy/common usage

- Modest level above HTML <title> and <keywords> tags, and local XML elements like <name> or <author>
- Adding standard meaning
- Widely deployed for basic description and basic exchange (e.g. OAI-PMH, DL's, archives)
- “Flat” metadata model



# DC semantics, thinking outside the box

- Harper, C. (2010). Dublin Core Metadata Initiative: Beyond the Element Set ([www.niso.org/publications/isq/free/FE\\_DCMI\\_Harper\\_isqv22no1.pdf](http://www.niso.org/publications/isq/free/FE_DCMI_Harper_isqv22no1.pdf))
  - Shift the focus of the conversation from metadata *format* to metadata *vocabulary*
  - Link with RDF and the Semantic Web / Linked data movement
    - RDF uses URIs to identify a resource (subject) and properties (predicate)
- Why?

# Why a shift in thinking?

*- maybe not a shift, but the time is now*

- Share and reuse metadata
  - Generating metadata **costs money**
  - There's a lot of duplication
  - Semantic interoperability, linking, discovery, intelligence...
  - Machine processability (take advantage, realize new opportunities)
- ★ Finally, an information infrastructure, and enabling technology, together supporting longstanding ideas/ideals
- Turing machine; Bush's memex;




Dublin Core  
Metadata Initiative®

# Dublin Core abstract model


- Describes how metadata statements can be packaged into records or “descriptions”
- Basic building block
  - statement that says one thing about one resource  
Subject-Predicate-Object (and RDF statement)
- A description contains one or more statements about one and only one resource (using DC and other vocabularies)

# DCMI resource model



# Singapore Framework

(machine processing, long term quality control Semantic web/linked data)



- A loose standard for DC endorsed application profiles

# DCMI Metadata Terms (an evolving approach/view)

**Creator:** DCMI Usage Board

**Date Issued:** 2010-10-11

**Document Status:** This is a DCMI Recommendation.

**Description:** ...an up-to-date specification of all metadata terms maintained by the Dublin Core Metadata Initiative, including properties, vocabulary encoding schemes, syntax encoding schemes, and classes.

## Table of Contents

1. Introduction and Definitions
2. [Properties in the /terms/ namespace](#)
3. Properties in the legacy /elements/1.1/ namespace
4. Vocabulary Encoding Schemes
5. Syntax Encoding Schemes
6. Classes
7. DCMI Type Vocabulary
8. Terms related to the DCMI Abstract Model

<http://dublincore.org/documents/dcmi-terms/>

abstract  
accessRights  
accrualMethod  
accrualPeriodicity  
accrualPolicy  
alternative  
audience  
available  
bibliographicCitation  
conformsTo  
**contributor**  
**coverage**  
created  
**creator**  
**date**

dateAccepted  
dateCopyrighted  
dateSubmitted  
**description**  
educationLevel  
extent  
**format**  
hasFormat  
hasPart  
hasVersion  
**identifier**  
instructionalMethod  
isFormatOf  
isPartOf  
isReferencedBy

isReplacedBy  
isRequiredBy  
issued  
isVersionOf  
**language**  
license  
mediator  
medium  
modified  
provenance  
**publisher**  
references  
**relation**  
replaces  
requires  
**rights**  
rightsHolder

**Properties in the /terms/  
namespace**

**subject**  
tableOfContents

# DCMI Metadata Terms

(Minimal attributes)

Attribute	Description
<b>Name:</b>	A token appended to the URI of a DCMI namespace to create the URI of the term.
<b>Label:</b>	The human-readable label assigned to the term.
<b>URI:</b>	The Uniform Resource Identifier used to uniquely identify a term.
<b>Definition:</b>	A statement that represents the concept and essential nature of the term.
<b>Type of Term:</b>	The type of term as described in the DCMI Abstract Model [ <a href="#">DCAM</a> ].



Dublin Core  
Metadata Initiative®

# DCMI Terms

Attribute	Description
<b>Comment:</b>	Additional information about the term or its application.
<b>See:</b>	Authoritative documentation related to the term.
<b>References:</b>	A resource referenced in the Definition or Comment.
<b>Refines:</b>	A Property of which the described term is a Sub-Property.
<b>Broader Than:</b>	A Class of which the described term is a Super-Class.
<b>Narrower Than:</b>	A Class of which the described term is a Sub-Class.
<b>Has Domain:</b>	A Class of which a resource described by the term is an Instance.
<b>Has Range:</b>	A Class of which a value described by the term is an Instance.
<b>Member Of:</b>	An enumerated set of resources (Vocabulary Encoding Scheme) of which the term is a Member.
<b>Instance Of:</b>	A Class of which the described term is an instance.
<b>Version:</b>	A specific historical description of a term.
<b>Equivalent Property:</b>	A Property to which the described term is equivalent

\*\***Where applicable**, the above attributes provide additional information about a term.

# DCMI Metadata Terms

(Minimal attributes/example)

Term Name: subject	
URI:	<a href="http://purl.org/dc/terms/subject">http://purl.org/dc/terms/subject</a>
Label:	Subject
Definition:	The topic of the resource.
Comment:	Typically, the subject will be represented using keywords, key phrases, or classification codes. Recommended best practice is to use a controlled vocabulary. To describe the spatial or temporal topic of the resource, use the Coverage element.
Type of Term:	<u>Property</u>
Refines:	<a href="http://purl.org/dc/elements/1.1/subject">http://purl.org/dc/elements/1.1/subject</a>
Version:	<a href="http://dublincore.org/usage/terms/history/#subjectT-001">http://dublincore.org/usage/terms/history/#subjectT-001</a>
Note:	This term is intended to be used with non-literal values as defined in the DCMI Abstract Model ( <a href="http://dublincore.org/documents/abstract-model/">http://dublincore.org/documents/abstract-model/</a> ). As of December 2007, the DCMI Usage Board is seeking a way to express this intention with a formal range declaration.



# Dublin Core metadata

```
<dcterms:title>Godiva Chocolatier</dcterms:title>
<dcterms:alternative>Godiva store</dcterms:alternative>
<dcterms:creator>Confection, Nancy</dcterms:creator>
<dcterms:subject>Chocolate</dcterms:subject>
<dcterms:subject xsi:type="dcterms:lcsch">Truffles
  (Confectionery)</dcterms:subject>
<dcterms:created xsi:type="dcterms:W3CDTF">
  2008--6--28</dcterms:created>
<dcterms:identifier>http://www.godiva.com</
  dcterms:identifier>
<dcterms:abstract>Provides access to chocolate
  collections, gifts, ....</dcterms:abstract>
```

# DCMI Metadata Terms

## Table of Contents

1. Introduction and Definitions
2. Properties in the /terms/ namespace
3. Properties in the legacy /elements/1.1/ namespace
4. Vocabulary Encoding Schemes
5. Syntax Encoding Schemes
6. Classes
7. DCMI Type Vocabulary
8. Terms related to the DCMI Abstract Model



# Encoding

Vocabulary Encoding Schemes	DCMIType, DDC, IMT, LCC, LCSH, MESH, NLM, TGN, UDC
Syntax Encoding Schemes	ISO3166, ISO639-2, ISO639-3, Period, Point, RFC1766, RFC3066, RFC4646, RFC5646, URI, W3CDTF

# Dublin Core metadata

```
<dcterms:title>Godiva Chocolatier</dcterms:title>  
<dcterms:alternative>Godiva store</dcterms:alternative>  
<dcterms:creator>Confection, Nancy</dcterms:creator>  
<dcterms:subject>Chocolate</dcterms:subject>  
<dcterms:subject xsi:type="dcterms:lcsch">Truffles  
  (Confectionery)</dcterms:subject>  
<dcterms:created xsi:type="dcterms:W3CDTF">  
  2008--6--28</dcterms:created>  
<dcterms:identifier>http://www.godiva.com</  
  dcterms:identifier>  
<dcterms:abstract>Provides access to chocolate  
  collections, gifts, ....</dcterms:abstract>
```

# DCMI Metadata Terms

## Table of Contents

1. Introduction and Definitions
2. Properties in the /terms/ namespace
3. Properties in the legacy /elements/1.1/ namespace
4. Vocabulary Encoding Schemes
5. Syntax Encoding Schemes
6. Classes
7. DCMI Type Vocabulary
8. Terms related to the DCMI Abstract Model



# DC Metadata Terms

- Modern Dublin Core (the dcterms:namespace) defines domains and ranges; e.g. the value of dcterms:subject is the concept not the string – could be a SKOS:Concept:  
`<dcterms:subject rdf:resource="http://example.org/taxonomy/D003.53"/>`
- This usage is in line with Linked Data approach

# DCMI Terms

Attribute	Description
<b>Comment:</b>	Additional information about the term or its application.
<b>See:</b>	Authoritative documentation related to the term.
<b>References:</b>	A resource referenced in the Definition or Comment.
<b>Refines:</b>	A Property of which the described term is a Sub-Property.
<b>Broader Than:</b>	A Class of which the described term is a Super-Class.
<b>Narrower Than:</b>	A Class of which the described term is a Sub-Class.
<b>Has Domain:</b>	A Class of which a resource described by the term is an Instance.
<b>Has Range:</b>	A Class of which a value described by the term is an Instance.
<b>Member Of:</b>	An enumerated set of resources (Vocabulary Encoding Scheme) of which the term is a Member.
<b>Instance Of:</b>	A Class of which the described term is an instance.
<b>Version:</b>	A specific historical description of a term.
<b>Equivalent Property:</b>	A Property to which the described term is equivalent

\*\***Where applicable**, the above attributes provide additional information about a term.

# Classes

## **Agent**

AgentClass

## **BibliographicResource**

FileFormat

Frequency

Jurisdiction

LicenseDocument

LinguisticSystem

Location

LocationPeriodOrJurisdiction

MediaType

MediaTypeOrExtent

MethodOfAccrual

MethodOfInstruction

PeriodOfTime

PhysicalMedium

PhysicalResource

Policy

ProvenanceStatement

RightsStatement

SizeOrDuration

Standard



Dublin Core  
Metadata Initiative®

# Example of a class

Term Name: Agent	
URI:	<a href="http://purl.org/dc/terms/Agent">http://purl.org/dc/terms/Agent</a>
Label:	Agent
Definition:	A resource that acts or has the power to act.
Comment:	Examples of Agent include person, organization, and software agent.
Type of Term:	<u>Class</u>
Instance Of:	<a href="http://purl.org/dc/terms/AgentClass">http://purl.org/dc/terms/AgentClass</a>
Version:	<a href="http://dublincore.org/usage/terms/history/#Agent-001">http://dublincore.org/usage/terms/history/#Agent-001</a>



# Example of a class

Term Name: BibliographicResource	
URI:	<a href="http://purl.org/dc/terms/BibliographicResource">http://purl.org/dc/terms/BibliographicResource</a>
Label:	Bibliographic Resource
Definition:	A book, article, or other documentary resource.
Type of Term:	<u>Class</u>
Version:	<a href="http://dublincore.org/usage/terms/history/#BibliographicResource-001">http://dublincore.org/usage/terms/history/#BibliographicResource-001</a>



# Syntax Guidelines

and more @: <http://dublincore.org/specifications/>

- DC-TEXT [DCMI Recommended Resource]. "Expressing Dublin Core metadata using the DC-Text format"
- DC-HTML [DCMI Recommendation]. "Expressing Dublin Core metadata using HTML/XHTML meta and link elements"
- DC-DS-XML [Proposed Recommendation]. "Expressing Dublin Core Description Sets using XML (DC-DS-XML)"
- DC-XML-GUIDELINES [DCMI Recommendation].
- DC-RDF [DCMI Recommendation]. "Expressing Dublin Core metadata using the Resource Description Framework (RDF)"



Dublin Core  
Metadata Initiative®

# Principles


## Original ideas

- Simple
- Semantic interoperability
- International consensus
- Interdisciplinary (any domain)
- For any format
- Extensible
- Modular

## Today...(Makx Dekkers)

- Open consensus building:
- International scope
- Neutrality of purposes and business models
- Neutrality of technology
- Cross-disciplinary focus





IT'S A LIBRARY,  
HONEY--  
KIND OF AN EARLY  
VERSION OF THE  
WORLD WIDE WEB.

edStein 796  
Rocky Mtn. News • Nea

# Toward a Semantic Web

## Founding principles

- Simplicity
- Semantic interoperability
- International consensus
- Interdisciplinary
- Extensibility
- Modularity

## Key Ideas and approaches

- RDF (**very simple**)
- Metadata/data reuse
- Consistency
- One size does not fit all
- Global context
- Smarter web, smarter data
  - Machine processable
- Application profiles 



# DCMI

- DCMI
  - *An initiative, a community*
  - Committed to **open standards**, support **interoperability**
- DCMI Community emphasizes open participation
  - Conferences, communities, discussion lists/wikis
- DC structure
  - Incorporated as non-profit organization in Singapore
  - Governance:
    - DCMI Executive (Managing Director/Chief Executive Officer and a Chief Information Officer; day-to-day)
    - Oversight committee (liaisons and promotion)
    - Advisory Board: technical and operational advice
    - Usage Board: maintenance and review of proposals
    - Partners: financial support
  - Work by the architecture forum, communities, and task groups



## Summary

- Dublin Core (history & growth)
  - History workshop  
→ *full* conference
  - Founding principles (characteristics)
- Toward a *more* Semantic Web... more guidelines
  - DCMI Metadata Terms
- Dublin Core Metadata Initiative (DCMI)

## Q&A

# Thank you!

[janeg@email.unc.edu](mailto:janeg@email.unc.edu)



- Marcia Zeng



← Makx Dekkers



- Tom Baker

- Corey Harper

- Diane Hillmann