

Welcome to DCMI Tools WG!

15 September 2005, 15:30 – 17:00



Agenda

- Review of Activities in 2004/2005
- From APs to Tools: Requirements and Implementations
- Use Cases and Implementations of DCMI Tools WebServices Framework
- Charter
- Discussion of Working Plan 2005/2006



Review 2004/2005

Past meetings:

- Mar 2003: Meeting in Osnabrück
- Mar 2005: Meeting in Göttingen

 Discussion of the agenda, some discussion on the gerneral list on CMS tools, ... less activities ...



APs for Everything...

- Publications (Texts)
- Learning Material (LOM...?)
- Events
- Persons (Professional Profiles)
- Physical Objects
- Applications, Algorithms, Functions, Tools...
- => Develop Tools, which implement the APs




Example: MMM


- Goal: Develop a subject independent application.
- Needs:
 - Metadata (NS, subjects, cardinality, value space, requiremental)
 - "One word" description of the field
 - "Long" description for help texts
 - Logical ordering of the field (ask users in which order?)
- => Requested for all tools with user interaction!




Help & Interaction: Cross Language Implementations













Math-Net Meta Maker for Everything

Fertig

Preprints:
URL
Please give me one more preprint field
Publications:
URL CONTROL OF THE CO
URL
URL
Please give me one more publication field
Lectures:
URL
Please give me one more lecture field
Course materials:
URL
Please give me one more course material field
Presentations:
Name URL
Please give me one more presentation field
Research group:
Name URL
◎ Internet



Internet

<u>✓</u>		
*Data usage		
data may be used by information and communication services of learned soci	eties.	0
data may NOT (!) be used by information and communication services of learn	ned soc	ieties. O
*Embeddation technique		
Embed RDF direct in XHTML.MMMPersons method 2.0 (invalid html)	0	
Embed RDF in SVG object.MMMPersons method 2.1 (invalid html)	0	
Embed RDF in external RDF document.MMMPersons method 2.2 (valid html)	0	
Embed RDF in script element.(invalid html)	0	
Embed RDF in object element(base 64!).(valid html)	0	
DTD		
Create DTD so that HTML is valid 🔲		
Technique		
DTD is embedded in HTML O		
DTD is external to HTML		
back next		
vare questions to:Cashmere research group		



